



Comprehensive Urine Element Profile

Ratio to Creatinine



63 Zillico Street
Asheville, NC 28801
© Genova Diagnostics

Patient: **Order Number: 8901066**
 Age: 33 Completed: May 07, 2007
 Sex: F Received: May 01, 2007
 MRN: 0001039459 Collected: April 30, 2007

Gary Farr DC
519 Cleveland St Ste 115
Clearwater, FL 33755



Toxic Elements			
Results in µg/g creatinine			
Element	Reference Range	TMPL	Reference Range
Lead	0.5		<= 1.4
Mercury	2.25		<= 2.19
Aluminum	17.3		<= 22.3
Antimony	0.066		<= 0.149
Arsenic	5		<= 50
Barium	3.9		<= 6.7
Bismuth	<dl		<= 2.28
Cadmium			
Cesium			
Gadolinium		10.737	<= 0.019
Gallium	0.033		<= 0.028
Nickel	1.27		<= 3.88
Niobium	<dl		<= 0.084
Platinum	<dl		<= 0.033
Rubidium	1,333		<= 2,263
Thallium	0.108		<= 0.298
Thorium	3.203		<= 4.189
Tin	0.99		<= 2.04
Tungsten	0.091		<= 0.211
Uranium	<dl		<= 0.026

Note the extremely high levels of gadolinium on April 30, 2007. The levels are elevated by a factor of 10,000.

Nutrient Elements			
Results in µg/g creatinine			
Element	Reference Range	Reference Range	Reference Range
Chromium	3.3		0.6-9.4
Cobalt	0.38		0.01-2.60
Copper	9.4		4.0-11.4
Iron	<dl		5-64
Lithium	44		9-129
Manganese	0.51		0.03-1.16
Molybdenum	63		15-175
Selenium	166		32-333
Strontium	85		47-346
Vanadium	1.5		0.1-3.2
Zinc	756		63-688

Results in mg/g creatinine			
Element	Reference Range	Reference Range	Reference Range
Calcium	99		37-313
Magnesium	49		41-267
Potassium	1,773		759-4,653
Sulfur	1,028		367-1,328

Creatinine Concentration		
Urine Creatinine ♦	60.26	23.00-205.00 mg/dL

Collection Information	
Urine Total Volume (in milliliters):	1950.0
Length of Collection:	24.0
Provocation Comment:	
Information regarding pre- or post-provocation was not provided.	



Comprehensive Urine Element Profile Ratio to Creatinine



63 Zillicoa Street
Asheville, NC 28801
© Genova Diagnostics

Patient: **Order Number: 91260211**
Age: 33 Completed: July 30, 2007
Sex: F Received: July 26, 2007
MRN: 0001039459 Collected: July 25, 2007

Gary Farr DC
519 Cleveland St Ste 115
Clearwater, FL 33755

Toxic Elements

Results in µg/g creatinine

Element	Reference Range	TMPL	Reference Range
Lead	0.5		<= 1.4
Mercury	1.38		<= 2.19
Aluminum	3.5		<= 22.3
Antimony	0.069		<= 0.149
Arsenic	9		<= 50
Barium	4.2		<= 6.7
Bismuth	3.60		<= 2.28
Cadmium	After just less than 3 months of treatment, we reduced this patient's levels of gadolinium by a factor of nearly 10,000		
Cesium			
Gadolinium		0.820	<= 0.019
Gallium		0.097	<= 0.028
Nickel	1.45		<= 3.88
Niobium	<dl		<= 0.084
Platinum	0.014		<= 0.033
Rubidium	812		<= 2,263
Thallium	0.125		<= 0.298
Thorium	2.599		<= 4.189
Tin	1.54		<= 2.04
Tungsten	0.083		<= 0.211
Uranium	<dl		<= 0.026

Nutrient Elements

Results in µg/g creatinine

Element	Reference Range	Reference Range
Chromium	6.1	0.6-9.4
Cobalt	0.21	0.01-2.60
Copper	5.7	4.0-11.4
Iron	<dl	5-64
Lithium	20	9-129
Manganese	<dl	0.03-1.16
Molybdenum	42	15-175
Selenium	147	32-333
Strontium	107	47-346
Vanadium	2.3	0.1-3.2
Zinc	328	63-688

Results in mg/g creatinine

Element	Reference Range	Reference Range
Calcium	112	37-313
Magnesium	60	41-267
Potassium	1,127	759-4,653
Sulfur	691	367-1,328

Creatinine Concentration

Urine Creatinine ♦ **71.95** 23.00-205.00 mg/dL

Collection Information

Urine Total Volume (in milliliters): 1200.0

Length of Collection: 24.0

Provocation Comment:

Information regarding pre- or post-provocation was not provided.